

Package: PowerNormal (via r-universe)

September 2, 2024

Type Package

Title Power Normal Distribution

Version 1.2.0

Author Gualberto Segundo Agamez Montalvo, Marcia D'Elia Branco

Maintainer Gualberto Segundo Agamez Montalvo <gsagamez@gmail.com>

Description Miscellaneous functions for a descriptive analysis and initial Bayesian and classical inference for the power parameter of the the Power Normal (PN) distribution. This miscellaneous will be extend for more distributions into the power family and the three-parameter model.

Imports stats

License GPL-2

NeedsCompilation no

Date/Publication 2017-07-25 15:57:25 UTC

Repository <https://gsagamezm.r-universe.dev>

RemoteUrl <https://github.com/cran/PowerNormal>

RemoteRef HEAD

RemoteSha 8468b21aee744014da29921813c936113573d658

Contents

dpn	2
pn.bayes	3
pn.bias	4
pn.dens	4
pn.hist	5
pn.IC	5
pn.ICred	6
pn.lines	6
pn.mle	7
Index	8

dpm

The PN distribution

Description

Density, distribution function, quantile function and random generation for the PN distribution with power equal to alpha.

Usage

```
dpm(x, alpha)
ppn(q, alpha)
qpn(p, alpha)
rpn(n, alpha)
```

Arguments

x, q	vector of observations or quantiles.
p	vector of probabilities.
n	number of observations.
alpha	power parameter.

Details

The alpha parameter must be greater than 0 ($\alpha > 0$).

References

Lehmann, EL. (1953). The power of rank tests. *The Annals of Mathematical Statistics*, **24**, 23–43.

Durrans, SR. (1992). Distributions of fractional order statistics in hydrology. *Water Resources Research*, **28**, 1649–1655.

Agamez-Montavo, G. (2017). Modelos de mistura finita usando a classe de distribuicoes alpha potencia. *Thesis (Doctoral)*, University of Sao Paulo.

Examples

```
# Density

dpm(2,1)
dnorm(2)

# Distribution function

ppn(2,1)
pnorm(2)

# Quantile function
```

```
qpn(0.5, 1)
qnorm(0.5)

# Random generation

alpha <- 0.5
n <- 10
rpn(n, alpha)
```

pn.bayes

Fit univariate PN distribution (Bayesian)

Description

Return the posterior mean, median and variance of power parameter for PN distribution

Usage

```
pn.bayes(x, prior= "Jeffreys", shape_0 = NULL, rate_0 = NULL)
```

Arguments

`x` the response vector

`prior` the prior distribution of power parameter: "Jeffreys" (default), "Uniform" and "Gamma"

`shape_0, rate_0` shape and rate hyperparameters of the gamma distribution.

References

Agamez-Montavo, G. (2017). Modelos de mistura finita usando a classe de distribuicoes alpha potencia. *Thesis (Doctoral)*, University of Sao Paulo.

Examples

```
x <- rpn(100, 25)

pn.bayes(x)

pn.bayes(x, prior = 'Uniform')

pn.bayes(x, prior = 'Gamma', 1/100, 1/100)
```

pn.bias *Unbiased estimator for alpha (PN distribution)*

Description

Unbiased estimator for alpha of PN distribution

Usage

```
pn.bias(x)
```

Arguments

x the response vector

References

Gupta RD, Gupta RC. (1998). Analyzing skewed data by power normal model. *Test*, **17**, 197–210.

pn.dens *Estimated densities (PN distribution)*

Description

Plot the estimated density or log-density (PN)

Usage

```
pn.dens(x, model, log=FALSE, ylab=NULL, xlab = NULL, main = NULL, ...)
```

Arguments

x the response vector
 model a variable returned by [pn.mle](#)
 log Logical, plot log-density if TRUE (default = FALSE)
 ylab Title of the ylab, if NULL default is selected
 xlab Title of the xlab, if NULL default is selected
 main Main Title, if NULL default is selected
 ... further arguments to [plot](#)

pn.hist *Histogram and estimated densities plots (PN distribution)*

Description

Plot the histogram along with the estimated density (PN)

Usage

```
pn.hist(x, model, breaks, main, ..., col.lines, lwd, lty )
```

Arguments

x	the response vector
model	a variable returned by pn.mle
breaks	the same option in histogram
main	the main title (have useful default values)
...	further arguments to histogram
col.lines	line color
lwd	line width
lty	line type

pn.IC *Confidence interval for alpha (PN distribution)*

Description

Confidence interval for the power parameter of PN distribution

Usage

```
pn.IC(x,p)
```

Arguments

x	the response vector
p	confidence level

References

Gupta RD, Gupta RC. (1998). Analyzing skewed data by power normal model. *Test*, **17**, 197–210.

pn.ICred *Credibility interval for alpha (PN distribution)*

Description

Credibility interval for the power parameter of PN distribution

Usage

```
pn.ICred(x, p, prior="Jeffreys", shape_0=NULL, rate_0 = NULL)
```

Arguments

x the response vector
p credibility level
prior the prior distribution of power parameter: "Jeffreys" (default), "Uniform" and "Gamma"
shape_0, rate_0 shape and rate hyperparameters of the gamma distribution.

References

Agamez-Montavo, G. (2017). Modelos de mistura finita usando a classe de distribuicoes alpha potencia. *Thesis (Doctoral)*, University of Sao Paulo.

Examples

```
x <- rpn(100, 25)

pn.ICred(x, 0.95)

pn.ICred(x, 0.95, prior = 'Uniform')

pn.ICred(x, 0.95, prior = 'Gamma', 1/100, 1/100)
```

pn.lines *Plot lines of PN densities*

Description

Add lines of PN estimated density or log-density in pn.dens or pn.hist plots.

Usage

```
pn.lines(x, model, log=FALSE, ...)
```

Arguments

x	the response vector
model	a variable returned by pn.mle
log	Logical, plot log-density if TRUE (default = FALSE)
...	further arguments to lines

pn.mle	<i>Fit univariate PN distribution (Classic)</i>
--------	---

Description

Return the estimative of power parameter for PN distribution

Usage

`pn.mle(x)`

Arguments

x	the response vector
---	---------------------

References

Gupta RD, Gupta RC. (1998). Analyzing skewed data by power normal model. *Test*, **17**, 197–210.

Index

dpn, 2

histogram, 5

lines, 7

plot, 4

pn.bayes, 3

pn.bias, 4

pn.dens, 4

pn.hist, 5

pn.IC, 5

pn.ICred, 6

pn.lines, 6

pn.mle, 4, 5, 7, 7

ppn (dpn), 2

qpn (dpn), 2

rpn (dpn), 2